

Serial No. 10/690,733

**AMENDMENT TO THE CLAIMS**

This listing of claims will replace all prior versions and listings of claims in the application:

**LISTING OF CLAIMS**

Claim 1 (currently amended): A foldable chair assembly, comprising:

a support frame;

a first support leg having an upper portion pivotally mounted on a bottom of the support frame;

a second support leg having an upper portion pivotally mounted on the bottom of the support frame; and

two opposite resting members each pivotally mounted between a mediate portion of the first support leg and a mediate portion of the second support leg; wherein

each of the two resting members has a first end pivotally mounted on an inner side of the first support leg by a first pin and a second end pivotally mounted on an outer side of the second support leg by a second pin;

**each of the two resting members is substantially V-shaped;**

the mediate portion of the first support leg is provided with a limit rod rested on the mediate portion of the second support leg; and

the limit rod of the first support leg is located above the first pin at the first end of each of the two resting members.

Claims 2-5 (canceled).

Claim 6 (original): The foldable chair assembly in accordance with claim 1, wherein each of the two resting members has a mediate portion formed with a bent portion facing upward and directed toward the upper portion of the first support leg.

Claim 7 (original): The foldable chair assembly in accordance with claim 6, wherein when the foldable chair assembly is disposed at a stretched state, each of the two resting members is located above an intersection between the first support leg and the second support leg, and the bent portion of each of the two resting members is directed upward.

Claim 8 (canceled).

Claim 9 (original): The foldable chair assembly in accordance with claim 6, wherein when the foldable chair assembly is disposed at a folded state, each of the two resting members

Serial No. 10/690,733

is located below an intersection between the first support leg and the second support leg, and the bent portion of each of the two resting members is directed downward.

Claim 10 (currently amended): A [[The]] foldable chair assembly, comprising:

a support frame;

a first support leg having an upper portion pivotally mounted on a bottom of the support frame;

a second support leg having an upper portion pivotally mounted on the bottom of the support frame; and

two opposite resting members each pivotally mounted between a mediate portion of the first support leg and a mediate portion of the second support leg; wherein

each of the two resting members has a first end pivotally mounted on an inner side of the first support leg by a first pin and a second end pivotally mounted on an outer side of the second support leg by a second pin;

the mediate portion of the first support leg is provided with a limit rod rested on the mediate portion of the second support leg; and

the limit rod of the first support leg is located above the first pin at the first end of each of the two resting members in accordance with claim 1, wherein each of the first support leg and the second support leg is substantially U-shaped.

Claim 11 (original): The foldable chair assembly in accordance with claim 1, wherein the bottom of the support frame is provided with a plurality of pivot ears for pivoting the upper portion of each of the first support leg and the second support leg by a plurality of pivot pins.

Claim 12 (previously presented): A foldable chair assembly, comprising:

a support frame;

a first support leg having an upper portion pivotally mounted on a bottom of the support frame;

a second support leg having an upper portion pivotally mounted on the bottom of the support frame; and

two opposite resting members each pivotally mounted between a mediate portion of the first support leg and a mediate portion of the second support leg, wherein each of the two resting members has a mediate portion formed with a bent portion facing upward and directed toward the upper portion of the first support leg, wherein when the foldable chair assembly is disposed

Serial No. 10/690,733

at a folded state, each of the two resting members is located below an intersection between the first support leg and the second support leg, and the bent portion of each of the two resting members is directed downward.

Claim 13 (previously presented): The foldable chair assembly in accordance with claim 12, wherein when the foldable chair assembly is disposed at a stretched state, each of the two resting members is located above an intersection between the first support leg and the second support leg, and the bent portion of each of the two resting members is directed upward.

Claim 14 (previously presented): The foldable chair assembly in accordance with claim 13, wherein the mediate portion of the first support leg is provided with a limit rod rested on the mediate portion of the second support leg when the foldable chair assembly is disposed at a stretched state, so that the first support leg is combined with the second support leg so as to support the support frame.